



## Korean motorcyclist Co., Ltd



NJ2224EMA Bearing 2D drawings and 3D CAD models

4.724 Inch | 120 Millimeter x 8.465 Inch | 215  
Millimeter x 2.283 Inch | 58 Millimeter Timken  
NJ2224EMA Cylindrical Roller Bearings

Bearing No. NJ2224EMA

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	9.625
EAN	0053893751573
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   1 Rib Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	120MM Bore; Straight Bore Profile; 215MM Outside Diameter; 58MM Width;



## Korean motorcyclist Co., Ltd

	Brass Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Inter
Category	Cylindrical Roller Bearings
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	NJ2224EMA
Weight / LBS	21.2
d	4.724 Inch   120 Millimeter
D	8.465 Inch   215 Millimeter
B	2.283 Inch   58 Millimeter
Design Units	METRIC
Bearing Weight	9.6 Kg
Type	NJ
Tapered Bore	N
d - Bore	120 mm
D - Outer Diameter	215 mm
C - Inner Ring Width	58.000 mm
B - Outer Ring Width	58.000 mm
C0 - Static Radial Rating	630000 N
C - Dynamic Radial Rating <sup>1</sup>	514000 N
Reference Thermal Speed Rating (Grease)	2200
Reference Thermal Speed Rating (Oil) <sup>2</sup>	2500
Cg - Geometry Factor <sup>3</sup>	0.1196
R - Inner Ring To Clear Radius <sup>4</sup>	2.0 mm
r - Outer Ring To Clear Radius <sup>5</sup>	2.0 mm



## Korean motorcyclist Co., Ltd

da - Inner Ring Backing Diameter	137.000 mm
Da - Outer Ring Backing Diameter	0.000 mm