



# Korean motorcyclist Co., Ltd



## INA SCH2216 Drawn Cup Needle Roller Bearings

Bearing No. SCH2216

SCH2216 Bearing 2D drawings and 3D CAD models

Size	34.925x44.45x25.4 mm
Bore Diameter	34,925 mm
Outer Diameter	44,45 mm
Width	25,4 mm
$F_w$	1 3/8 inch
$F_w$	34,925 mm
D	1,75 inch
D	44,45 mm
C	1 inch
C	25,4 mm
m	0,17 lbs / Weight
m	77 g / Weight
$C_r$	8870 lbf / Dynamic load rating (radial)
$C_r$	39000 N / Dynamic load rating (radial)
$C_{0r}$	14600 lbf / Static load rating (radial)
$C_{0r}$	65000 N / Static load rating (radial)
$n_G$	7200 1/min / Limiting speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



## Korean motorcyclist Co., Ltd

Weight / Kilogram	0.08
EAN	4054364122553
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Inch
Relubricatable	No
Thrust Bearing	No
Long Description	1-3/8" Bore; 1-3/4" Outside Diameter; 1" Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Yes Retainer; Single Row of Rol
Other Features	2 Rib Outer Ring   Drawn Cup Bearing   Steel Cage   Heavy Duty
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	SCH2216
Weight / LBS	0.17
Bore	1.375 Inch   34.925



## Korean motorcyclist Co., Ltd

	Millimeter
Outside Diameter	1.75 Inch   44.45 Millimeter
Width	1 Inch   25.4 Millimeter